

Submittal Data

PROJECT:	UNIT TAG:	QUANTITY:
REPRESENTATIVE: _____	TYPE OF SERVICE:	DATE: _____
ENGINEER:	SUBMITTED BY:	DATE:
CONTRACTOR:	APPROVED BY:	DATE:
	ORDER NO.:	DATE:

Submersible drop cable



Accessories

Note! Product picture may differ from actual product

Conditions of Service	Pump Data	Motor Data
	Maximum ambient temperature: 60 °C Product number: On request	

Submittal Data

Materials:

Qty. Description

1 **Product name: Submersible drop cable**



Note! Product picture may differ from actual product

Product No.: On request

Product No: On request

EAN number: On request

Price: € 15.08

Technical:

Approvals: KTW

Materials:

Cable surface: EPDM (EPR)

Installation:

Maximum ambient temperature: 60 °C

Diameter: 12.5 / 15.5 mm

Number of leads: 4

Size: 4G 2,5

Upper limit of range: 90 °C

Others:

Net weight: 0.28 kg

Norwegian NRF no.: 9041602

Country of origin: DK

Custom tariff no.: 85444999



Company name:

Created by:

Phone:

Date:

20/10/2024

Description	Value
General information:	
Product name:	Submersible drop cable
Product No:	On request
EAN number:	On request
Price:	€ 15.08
Technical:	
Approvals:	KTW
Materials:	
Cable surface:	EPDM (EPR)
Installation:	
Maximum ambient temperature:	60 °C
Diameter:	12.5 / 15.5 mm
Number of leads:	4
Size:	4G 2,5
Upper limit of range:	90 °C
Others:	
Net weight:	0.28 kg
Norwegian NRF no.:	9041602
Country of origin:	DK
Custom tariff no.:	85444999