

# Submittal Data

PROJECT:	UNIT TAG:	QUANTITY:
REPRESENTATIVE: _____	TYPE OF SERVICE:	DATE: _____
ENGINEER:	SUBMITTED BY:	DATE:
CONTRACTOR:	APPROVED BY:	DATE:
	ORDER NO.:	DATE:

## Submersible drop cable



Accessories

Note! Product picture may differ from actual product

Conditions of Service	Pump Data	Motor Data
	Maximum ambient temperature: 60 °C Product number: On request	

# Submittal Data

**Materials:**

**Qty. Description**

1 **Product name: Submersible drop cable**



**Note! Product picture may differ from actual product**

Product No.: On request

Product No: On request

EAN number: On request

Technical:

Approvals: KTW

Materials:

Cable surface: EPDM (EPR)

Installation:

Maximum ambient temperature: 60 °C

Diameter: 32.0 / 34.0 mm

Number of leads: 4

Size: 4G 25,0

Upper limit of range: 90 °C

Others:

Net weight: 1.95 kg

Country of origin: DK

Custom tariff no.: 85444999



Company name:

Created by:

Phone:

Date:

20/10/2024

Description	Value
<b>General information:</b>	
Product name:	Submersible drop cable
Product No:	On request
EAN number:	On request
<b>Technical:</b>	
Approvals:	KTW
<b>Materials:</b>	
Cable surface:	EPDM (EPR)
<b>Installation:</b>	
Maximum ambient temperature:	60 °C
Diameter:	32.0 / 34.0 mm
Number of leads:	4
Size:	4G 25,0
Upper limit of range:	90 °C
<b>Others:</b>	
Net weight:	1.95 kg
Country of origin:	DK
Custom tariff no.:	85444999

