


# Submittal Data

PROJECT: _____	UNIT TAG: _____	QUANTITY: _____
REPRESENTATIVE: _____	TYPE OF SERVICE: _____	DATE: _____
ENGINEER: _____	SUBMITTED BY: _____	DATE: _____
CONTRACTOR: _____	APPROVED BY: _____	DATE: _____
	ORDER NO.: _____	DATE: _____

## FF4 - 32 pressure switch, 1-pole



Accessories

Note! Product picture may differ from actual product



Conditions of Service	Pump Data	Motor Data
	Maximum ambient temperature: 70 °C Product number: On request	

# Submittal Data

**Materials:**

**Qty. Description**

1 **Product name:** FF4 - 32 pressure switch, 1-pole



**Note!** Product picture may differ from actual product

Product No.: On request

Product No: On request

EAN number: On request

**Installation:**

Range of ambient temperature: -20 .. 70 °C

Pipework connection: R 3/8

Range of pressure measuring: 2 .. 32 bar

**Others:**

Country of origin: CZ

Custom tariff no.: 85364900



Company name:

Created by:

Phone:

Date:

21/10/2024

Description	Value
<b>General information:</b>	
Product name:	FF4 - 32 pressure switch, 1-pole
Product No:	On request
EAN number:	On request
<b>Installation:</b>	
Range of ambient temperature:	-20 .. 70 °C
Pipework connection:	R 3/8
Installation:	Discharge side
Range of pressure measuring:	2 .. 32 bar
<b>Electrical data:</b>	
Maximum load:	4 kVA, AC1, 500 V
<b>Others:</b>	
Sales region:	D
Country of origin:	CZ
Custom tariff no.:	85364900

